

2023 Street Rehabilitation


City of Texarkana, Arkansas

**BID PROPOSAL**  
**SCHEDULE A: SANDERSON LANE**

<u>ITEM</u>	<u>QTY/UNIT</u>	<u>DESCRIPTION</u>	<u>UNIT PRICE</u>	<u>TOTAL PRICE</u>
1.	11,120 S.Y.	Perform pulverizing of existing asphalt surface And base to a depth of 8-inches, Furnish & Install Cement and Mixing of existing base at a rate of 40 pounds per square yard. To include all labor and Equipment needed for mixing, watering, compaction, shaping In accordance with the project specifications and Plans for the unit price of  _____ Dollars and  _____ Cents/S.Y.	\$ _____	\$ _____
2.	9,240 S.Y.	Provide and Install ACHM Surface Mix (2" compacted depth) including prime coat All labor and equipment as required per the plans and specifications for the unit price of  _____ Dollars and  _____ Cents/SY	\$ _____	\$ _____

BID PROPOSAL  
(Cont'd)


<u>ITEM</u>	<u>QTY/UNIT</u>	<u>DESCRIPTION</u>	<u>UNIT PRICE</u>	<u>TOTAL PRICE</u>
3.	600 SY	Perform installation of SOD upon completion of Ditchline grading as noted in the plans for the unit price of _____ Dollars and _____ Cents/SY	\$ _____	\$ _____
4.	1,840 LF	Perform fine grading of ditchline to ensure positive Drainage and remove excess silt as noted in the plans for the unit price of _____ Dollars and _____ Cents/L.F.	\$ _____	\$ _____





BID PROPOSAL  
(Cont'd)

7.	22 LF	Provide and Install 15" HDPE (N-12 dual wall pipe) (driveway crossing) to include removal of existing Culvert, excavation, materials, backfill, all labor and equipment as shown in the plans and specifications for the unit price of	_____ Dollars and _____ Cents/LF	\$ _____	\$ _____
8.	44 LF	Provide and Install 18" HDPE (N-12 dual wall pipe) (driveway crossing) to include removal of existing Culvert, excavation, materials, backfill, all labor and equipment as shown in the plans and specifications for the unit price of	_____ Dollars and _____ Cents/LF	\$ _____	\$ _____
9.	772 S.Y.	Provide and Install 8" reinforced concrete pavement to include fine grading, removal of excess material, subgrade compaction, materials, backfill, all labor and equipment as shown in the plans and specifications for the unit price of	_____ Dollars and _____ Cents/SY	\$ _____	\$ _____




BID PROPOSAL  
(Cont'd)

10.            200 S.Y.            Provide and Install 18" thickness of select fill for replacement of street subgrade to include removal of existing material, compaction of new material, labor, and equipment as directed by the owner in accordance with specifications for the unit price of

\_\_\_\_\_ Dollars and  
\_\_\_\_\_ Cents/SY            \$ \_\_\_\_\_            \$ \_\_\_\_\_

11.            25 LF            Provide and Install Precast Reinforced Concrete Box Culvert (street crossing) (8'Wx3'T) HS-20 (15 degree skew) to include excavation, bedding Material, labor, and equipment as shown in the plans and specifications for the unit price of

\_\_\_\_\_ Dollars and  
\_\_\_\_\_ Cents/LF            \$ \_\_\_\_\_            \$ \_\_\_\_\_



BID PROPOSAL  
(Cont'd)

12. 140 SY

Provide and Install 8" Rock Rip-Rap, soil filter fabric,  
All labor and equipment necessary to place along  
ditchline or bank as noted in the plans  
and specifications for the unit price of

\_\_\_\_\_ Dollars and


\_\_\_\_\_ Cents/SY

\$ \_\_\_\_\_

\$ \_\_\_\_\_

**SCHEDULE A: TOTAL OF ITEMS 1-12**

\$ \_\_\_\_\_



**BID PROPOSAL**  
**SCHEDULE B: JEFFERSON AVENUE**

<u>ITEM</u>	<u>QTY/UNIT</u>	<u>DESCRIPTION</u>	<u>UNIT PRICE</u>	<u>TOTAL PRICE</u>
13.	6,950 S.Y.	Perform ACHM milling (2" depth) of existing asphalt Surface to include all equipment, labor, and hauling As necessary to remove and haul millings to City Yard in accordance with the project specifications and Plans for the unit price of  _____ Dollars and _____ Cents/S.Y.	\$ _____	\$ _____
14.	6,950 S.Y.	Provide and Install ACHM Surface Mix (2" compacted depth)(PG 70-22) including prime Coat, labor and equipment as required per the plans and specifications for the unit price of  _____ Dollars and _____ Cents/SY	\$ _____	\$ _____

BID PROPOSAL  
(Cont'd)

<u>ITEM</u>	<u>QTY/UNIT</u>	<u>DESCRIPTION</u>	<u>UNIT PRICE</u>	<u>TOTAL PRICE</u>
15.	40 LF	Remove and Replace Concrete Curb and Gutter To include sawcutting, disposal, labor, materials, And equipment necessary as noted in the plans And specifications for the unit price of  _____ Dollars and _____ Cents/LF	\$ _____	\$ _____
16.	1 LS	Perform pavement markings to include centerline, Stopbars, & crosswalks (painted) as noted in the plans and Specifications for the lump sum price of  _____ Dollars and _____ Cents/L.S.	\$ _____	\$ _____
17.	1 LS	Perform Testing of materials, compaction, Or other items requested by the Engineer And performed by an approved laboratory With a project allowance of \$1,500 per the Project plans and specifications for the lump price of  _____ <u>ONE Thousand FIVE Hundred</u> _____ Dollars and _____ <u>Zero</u> _____ Cents/LS	\$ <u>1,500.00</u>	\$ <u>1,500.00</u>

BID PROPOSAL  
(Cont'd)


18. 30 TONS

Provide and Install ACHM Surface Mix Level-up (compacted) as directed by the owner Following milling operations and prior to overlay Including all labor and equipment as required per the plans and specifications for the unit price of

\_\_\_\_\_ Dollars and  
\_\_\_\_\_ Cents/TON      \$ \_\_\_\_\_ \$ \_\_\_\_\_

**SCHEDULE B: TOTAL OF ITEMS 13-18**

\$ \_\_\_\_\_




**BID PROPOSAL**  
**SCHEDULE C: STALLION DRIVE**

<u>ITEM</u>	<u>QTY/UNIT</u>	<u>DESCRIPTION</u>	<u>UNIT PRICE</u>	<u>TOTAL PRICE</u>
19.	2,660 S.Y.	Perform pulverizing of existing asphalt surface And base to a depth of 8-inches, Furnish & Install Cement and Mixing of existing base at a rate of 40 pounds per square yard. To include all labor and Equipment needed for watering, compaction, shaping In accordance with the project specifications and Plans for the unit price of  _____ Dollars and _____ Cents/S.Y.	\$ _____	\$ _____
20.	2,347 SY	Provide and Install ACHM Surface Mix (2" compacted depth) including prime coat All labor and equipment as required per the plans and specifications for the unit price of  _____ Dollars and _____ Cents/SY	\$ _____	\$ _____

BID PROPOSAL  
(Cont'd)

<u>ITEM</u>	<u>QTY/UNIT</u>	<u>DESCRIPTION</u>	<u>UNIT PRICE</u>	<u>TOTAL PRICE</u>
21.	1 LS	Perform Testing of materials, compaction, Or other items requested by the Engineer And performed by an approved laboratory With a project allowance of \$1,500 per the Project plans and specifications for the lump price of  <u>ONE Thousand FIVE Hundred</u> Dollars and  <u>Zero</u> Cents/LS	<u>\$ 1,500.00</u>	<u>\$ 1,500.00</u>
<b>TOTAL OF ITEMS 19-21</b>			<b>\$</b> _____	



**BID PROPOSAL**  
**SCHEDULE D: BOYD ROAD**

<u>ITEM</u>	<u>QTY/UNIT</u>	<u>DESCRIPTION</u>	<u>UNIT PRICE</u>	<u>TOTAL PRICE</u>
22.	17,915 S.Y.	Perform pulverizing of existing asphalt surface And base to a depth of 8-inches, Furnish & Install Cement and Mixing of existing base at a rate of 40 pounds per square yard. To include all labor and Equipment needed for watering, compaction, shaping In accordance with the project specifications and Plans for the unit price of  _____ Dollars and _____ Cents/S.Y.	\$ _____	\$ _____
23.	15,968 SY	Provide and Install ACHM Surface Mix (2" compacted depth) including prime coat All labor and equipment as required per the plans and specifications for the unit price of  _____ Dollars and _____ Cents/SY	\$ _____	\$ _____


BID PROPOSAL  
(Cont'd)

<u>ITEM</u>	<u>QTY/UNIT</u>	<u>DESCRIPTION</u>	<u>UNIT PRICE</u>	<u>TOTAL PRICE</u>
24.	3,107 LF	Perform fine grading of ditchline to ensure positive Drainage and remove excess silt as noted in the plans for the unit price of  _____ Dollars and _____ Cents/L.F.	\$ _____	\$ _____
25.	1 LS	Perform Testing of materials, compaction, Or other items requested by the Engineer And performed by an approved laboratory With a project allowance of \$4,000 per the Project plans and specifications for the lump price of  <u>FOUR Thousand</u> Dollars and <u>Zero</u> Cents/LS	\$ <u>4,000.00</u>	\$ <u>4,000.00</u>
26.	1 LS	Prepare ROW to include TREE REMOVAL, Disposal, and griding of stump at the locations Noted in the plans and specifications for the Lump sum price of  _____ Dollars and _____ Cents/L.S.	\$ _____	\$ _____



BID PROPOSAL  
(Cont'd)

29.	24 LF	Provide and Install 18" HDPE (N-12 dual wall pipe) (driveway crossing) to include removal of existing Culvert, excavation, materials, backfill, all labor and equipment as shown in the plans and specifications for the unit price of	_____ Dollars and _____ Cents/LF	\$ _____	\$ _____
30.	60 LF	Provide and Install 30" HDPP (ADS HP Storm pipe) (driveway crossing) to include removal of existing Culvert, excavation, materials, backfill, all labor and equipment as shown in the plans and specifications for the unit price of	_____ Dollars and _____ Cents/LF	\$ _____	\$ _____



31. 200 S.Y. Provide and Install 18" thickness of select fill for replacement of street subgrade to include removal of existing material, compaction of new material, labor, and equipment as directed by the owner in accordance with specifications for the unit price of

\_\_\_\_\_ Dollars and

\_\_\_\_\_ Cents/SY

\$ \_\_\_\_\_ \$ \_\_\_\_\_

TOTAL OF ITEMS 22-31

\$ \_\_\_\_\_

BID PROPOSAL SUMMARY SHEET


SANDERSON LANE (ITEMS 1-12) TOTAL \$ \_\_\_\_\_

JEFFERSON AVENUE (ITEMS 13-18) TOTAL \$ \_\_\_\_\_

STALLION DRIVE (ITEMS 19-21) TOTAL \$ \_\_\_\_\_

BOYD ROAD (ITEMS 22-31) TOTAL \$ \_\_\_\_\_

TOTAL BASE BID: \$ \_\_\_\_\_



Notes:

Other incidental items required to complete the project as noted in the plans and specifications shall be considered subsidiary to the bid items. Mailboxes may be required for removal, temporary setup, and permanent installation where affected by street improvements. Where brick mailboxes are installed, care shall be taken to protect the structures.

Traffic Control shall be performed by the contractor to maintain a passable lane during construction unless other detours are approved by the City. In some cases road closures may be allowed where possible. Access to driveways shall be maintained. Notification of construction to affected residents shall be provided 48 hours in advance.

Sawcutting of pavements to ensure clean transition from existing to new shall be performed. The contractor shall notify TWU to obtain meter for fire hydrant for watering of street and pay all expenses and fees for water. Spoil materials shall be removed and hauled off by the contractor.

Upon stabilization and compaction of road base the contractor shall promptly plan to install prime coat and asphalt pavement. Damages to roadbed due to exposure to weather shall be repaired at the contractor's expense.

