
CTY OF STUTTGART, ARKANSAS

PAVEMENT AND DRAINAGE IMPROVEMENTS TO DOWNTOWN EAST

BID PROPOSAL



P-2

ITEM	QTY	UNIT	DESCRIPTION	UNIT PRICE	TOTAL PRICE
3	8250	S.Y.	Perform 2" milling of existing asphalt surface. Includes milling, shaping, removal and disposal of excavated material as needed for the unit price of		
				\$	\$
			Dollars and Cents/S.Y	()	
4	13750	S.Y.	Perform 4" milling of existing asphalt surface. Includes milling, shaping, removal and disposal of excavated		
			material as needed for the unit price of	\$	\$
			Cents/S.Y.		
5	5500	S.Y.	Perform 6" milling of existing as that surface. Includes milling, shaping, removal and disposal of excavated material as needed for the unit price of		
				\$	\$
			Dollars and Cents/S.Y.		

P-3


ITEM	QTY	UNIT	DESCRIPTION	UNIT PRICE	TOTAL PRICE
6	830	S.Y.	Perform removal and replacement of existing concrete pavement to neat lines including removal and disposal for the unit price of		
			Dollars and Cents/S.Y.	\$	\$
7	327	S.Y.	Perform removal and replacement of existing gravel drive surface associated with the replacement of culvert Sincluding all grading and compaction for the unit prise of		
			Dellars and Certers.Y.	\$	\$
8	2600	L.F.	Perform removal of concrete curb & gutter to neat lines for the unit price of	¢	¢
			Dollars and Cents/L.F.	\$	\$
9	84	E.A.	Perform removal of stormdrain inlets of various size and material for the unit price of		
			Dollars and Cents/E.A. P-4	\$	\$


ITEM	QTY	UNIT	DESCRIPTION	UNIT PRICE	TOTAL PRICE
10	35	E.A.	Perform removal of stormdrain manholes of various size and material for the unit price of		
			Dollars and Cents/E.A.	\$	\$
11	11250	L.F.	Perform removal and disposal of various size and material stormdrain culverts for the unit price of	\$	\$
12	552	L.F.	Perform removal and disposal of existing concrete box culvert for the unit price of Dollars and Cents/L.F.	\$	\$

ITEM	QTY	UNIT	DESCRIPTION	UNIT PRICE	TOTAL PRICE
13	270	S.Y.	Provide and install concrete sidewalk as required in accordance with the plans and specifications for the unit price of	\$	\$
14	285	S.Y.	Provide and install concrete swale as required in		
14	200	0.11	accordance with the plans and specifications for the unit price of	\$	\$
15	330	S.Y.	Provide and install concrete drive ay as required in accordance with the plans and specifications for the unit price of	\$	\$
			Dollars and Cents/S.Y.		

ITEM	QTY	UNIT	BID PROPOSAL CONTINUED DESCRIPTION	UNIT	TOTAL
	GII	UNIT		PRICE	PRICE
16	210	S.Y.	Provide and install asphalt driveway as required in		
10	210	0.11	accordance with the plans and specifications for the		
			unit price of	\$	\$
			Dollars and		
			Cents/S.Y.	~	
17	180	L.F.	Provide and install flowable fill for abandoned		
			culverts as required in accordance with the plane and specifications for the unit price of		
				\$	\$
			Dollars and		
18	1650	L.F.	Provide and install concrete surb and guider as required in accordance with the plans and		
			specifications for the unit price of	\$	\$
				Φ	ቅ
			Dollars and Cents/L.F.		

ITEM	QTY	UNIT	DESCRIPTION	UNIT PRICE	TOTAL PRICE
19	285	L.F.	Provide and install mountable concrete curb and gutter as required in accordance with the plans and specifications for the unit price of		
				\$	\$
			Dollars and Cents/L.F.		
20	550	L.F.	Furnish and intall 4'x2' box culvert per the plans and specifications for the unit price of		
				\$	\$
			Centsri F		
04	050				
21	250	L.F.	Furnish and intall 12" RCP per the plans and specifications for the unit price of		
				\$	\$
			Dollars and		
			Cents/L.F.		





ITEM	QTY	UNIT	DESCRIPTION	UNIT PRICE	TOTAL PRICE
28	750	C.Y.	Provide and install gravel embedment when unfavorable soil conditions are encountered as approved by the Engineer including all labor, hauling, materials, compaction and incedentals required as needed and described in the plans and specifications for the unit price of	\$	\$
29	78	E.A.	Furnish and intall concrete inlet with Mesnant 3967 combination grate/curb inlet or approved equal per the plans and specifications for the unit price of Dollars and Cents/E.A.	\$	\$
30	32	E.A.	Furnish and intall 4'x4' concrete inlet with Neenah R- 4840 grate inlet or approved equal per the plans and specifications for the unit price of	\$	\$
			Dollars and Cents/E.A.		

ITEM	QTY	UNIT	DESCRIPTION	UNIT PRICE	TOTAL PRICE
31	14	E.A.	Furnish and intall 4'x4' (heavy duty) concrete inlet with Neenah R-4840 grate inlet or approved equal per the plans and specifications for the unit price of	\$	\$
32	4	E.A.	Eventsh and intall 6'x4' (heavy duty) concrete interview.	G	
32	4	E.A.	with Neenah R-4891 grate inlet or approved could per the plans and specifications for the unit proved could be could be plans and specifications for the unit proved could be could be plans and specifications for the unit proved could be could be plans and specifications for the unit proved could be plans and specific	\$	\$
33	4	E.A.	Furnish and intall 7'x4 concrete function box w/manhole per the plans and specifications for the unit price of	\$	\$
			Dollars and Cents/E.A.		


ITEM	QTY	UNIT	DESCRIPTION	UNIT PRICE	TOTAL PRICE
34	8	E.A.	Furnish and intall concrete collar connection between stormdrain culverts per the plans and specifications for the unit price of	\$	\$
			Dollars and Cents/E.A.	G	
35	1	E.A.	Furnish and intall manhole access point in 4'2' concurrent per the plans and specifications for the unit price of	\$	\$
36	21070	S.Y.	Provide and Install ACHM Surface Mix (3.5" compacted depth) including prime coat all labor and equipment as required per the plans and specifications for the unit price of	\$	\$
			Dollars and Cents/S.Y.		

ITEM	QTY	UNIT	DESCRIPTION	UNIT PRICE	TOTAL PRICE
37	6430	S.Y.	Provide and Install ACHM Surface Mix (3.5" compacted depth) w/FORTA-FI admixture including prime coat all labor and equipment as required per the plans and specifications for the unit price of	\$	\$
			Dollars and Cents/S.Y.	0	
38	1350	S.Y.	Provide and Install full depth ACHM section including prime coat, compacted base, asphalt all labor and equipment as required per the plans and specifications for the unit price of	\$	\$
39	28850	S.Y.	Perform cement stabilization for 5 Depth) at a rate of 40 lb/sy including al equipment, materials, and labor for mixing, watering, microcracking and final compaction of base per plans and specifications for the unit price of	\$	\$
			Dollars and Cents/S.Y.		

ITEM	QTY	UNIT	DESCRIPTION	UNIT PRICE	TOTAL PRICE
40	50	C.Y.	Perform unclassified excavation and removal of unsutable subgrade material, including removal and disposal of existing materials as necessary per the		
			plans for the unit price of	\$	\$
			Dollars and		
			Cents/C.Y.	C	
				\rightarrow	
41	50	C.Y.	Provide and install compacted select fill embankment including all labor, hauling, materials, compacted		
			and incidentals required as needed and described r		
			the plans and specifications for the unit side of	\$	\$
			Dolars and Cents/C.Y.		
42	1	L.S.	Provide and install utility adjustments as required for		
			the construction of pavement surfaces and removal		
			and installation of stormdrains for the lump sum price of	\$	\$
			Dollars and Cents/LS		

ITEM	QTY	UNIT	DESCRIPTION	UNIT PRICE	TOTAL PRICE
43	10	E.A.	Provide and install cleanout and valve adjustments to bring to finished grade for the lump sum price of		
			Dollars and Cents/E.A.	\$	\$
44	10	E.A.	Provide and install manhole and utility box adjustments to bring to finished grade for the turns sum price of	\$	\$
45	1	L.S.	Furnish and install traffic control devices, including but not limited to, installing, maintaining, and removing traffic control devices according to the plans and specifications for the lump sum price of	\$	\$
			Dollars and Cents/L.S.		

ITEM	QTY	UNIT	DESCRIPTION	UNIT PRICE	TOTAL PRICE
46	1.0	AC	Provide and install hydroseeding at all disturbed areas within the Downtown West Streets project area as necessary to establish permanent vegetation in accordance with ARDOT seeding and fertilizer requirements for site soil type and season for the unit price of Dollars and Center	6	\$
47	1	L.S.	Perform Testing of materials, compaction or drevitems requested by the Engineer and performed by an approved laboratory with a per the project plans and specifications for the lump price of Dollars and Cents/LS	\$	\$



the contractor. Existing utilities and improvements shall be protected during construction and contractor shall coordinate with City of Stuttgart Utility Department for existing utilities encountered. Protection measures shall be approved by the engineer prior to construction.

Haul routes approved designated by the city shall be restored to original conditions upon completion of the work. This area is not included in seeding / revegetation and shall be considered subsidiary to the work.