

CITY OF WALDO


8" & 10" Sewer Main Installation

BASE BID PROPOSAL

<u>ITEM</u>	<u>QTY/UNIT</u>	<u>DESCRIPTION</u>	<u>UNIT PRICE</u>	<u>TOTAL PRICE</u>
1.	1 L.S.	Mobilization (Max 5% of Bid 1 st Pay Request, prorated Over remaining pay requests) for the Lump Sum price of _____ Dollars and _____ Cents/L.S.	\$ _____	\$ _____
2.	1 L.S.	Bonds & Insurance (Max 8% of Bid 1 st Pay Request, prorated Over remaining pay requests) for the Lump Sum price of _____ Dollars and _____ Cents/L.S.	\$ _____	\$ _____
3.	600 L.F.	Furnish & Install 8" SDR-26 PVC Sanitary Sewer Main, 0-8' deep per plans and specifications for the unit price of _____ Dollars and _____ Cents/L.F.	\$ _____	\$ _____


BASE BID PROPOSAL

<u>ITEM</u>	<u>QTY/UNIT</u>	<u>DESCRIPTION</u>	<u>UNIT PRICE</u>	<u>TOTAL PRICE</u>
4.	150 L.F.	Furnish & Install 8" SDR-26 PVC Sanitary Sewer Main, 8-10' deep per plans and specifications for the unit price of _____ Dollars and _____ Cents/L.F.	\$ _____	\$ _____
5.	230 L.F.	Furnish & Install 8" SDR-26 PVC Sanitary Sewer Main, 10-12' deep per plans and specifications for the unit price of _____ Dollars and _____ Cents/L.F.	\$ _____	\$ _____
6.	175 L.F.	Furnish & Install 8" SDR-26 PVC Sanitary Sewer Main, 12-14' deep per plans and specifications for the unit price of _____ Dollars and _____ Cents/L.F.	\$ _____	\$ _____




BASE BID PROPOSAL

<u>ITEM</u>	<u>QTY/UNIT</u>	<u>DESCRIPTION</u>	<u>UNIT PRICE</u>	<u>TOTAL PRICE</u>
7.	1075 L.F.	Furnish & Install 10" SDR-26 PVC Sanitary Sewer Main, 0-8' deep per plans and specifications for the unit price of _____ Dollars and _____ Cents/L.F.	\$ _____	\$ _____
8.	430 L.F.	Furnish & Install 10" SDR-26 PVC Sanitary Sewer Main, 8-10' deep per plans and specifications for the unit price of _____ Dollars and _____ Cents/L.F.	\$ _____	\$ _____
9.	600 L.F.	Furnish & Install 10" SDR-26 PVC Sanitary Sewer Main, 10-12' deep per plans and specifications for the unit price of _____ Dollars and _____ Cents/L.F.	\$ _____	\$ _____
10.	125 L.F.	Furnish & Install 10" SDR-26 PVC Sanitary Sewer Main, 12-14' deep per plans and specifications for the unit price of _____ Dollars and _____ Cents/L.F.	\$ _____	\$ _____



BASE BID PROPOSAL

<u>ITEM</u>	<u>QTY/UNIT</u>	<u>DESCRIPTION</u>	<u>UNIT PRICE</u>	<u>TOTAL PRICE</u>
11.	16 EA.	Furnish & Install Standard 4' Dia. Precast Concrete Manholes (0-8-ft Height) per plans and specifications for the unit price of _____ Dollars and _____ Cents/EA.	\$ _____	\$ _____
12.	32 V.F.	Furnish & Install Manhole Extra Vertical Depth (beyond 8-ft) per plans and specifications for the unit price of _____ Dollars and _____ Cents/V.F.	\$ _____	\$ _____
13.	4 EA.	Abandon Existing manholes per plans and specifications for the unit price of _____ Dollars and _____ Cents/EA.	\$ _____	\$ _____
14.	6 EA.	Provide and Install Long Sewer Service Connection Including bore of street, and reconnection to existing Service per plans and specifications for the unit price of _____ Dollars and _____ Cents/EA.	\$ _____	\$ _____




BASE BID PROPOSAL

<u>ITEM</u>	<u>QTY/UNIT</u>	<u>DESCRIPTION</u>	<u>UNIT PRICE</u>	<u>TOTAL PRICE</u>
15.	22 EA.	Provide and Install Short Sewer Service Connection and reconnection to existing service per plans and specifications for the unit price of _____ Dollars and _____ Cents/EA.	\$ _____	\$ _____
16.	200 C.Y.	Provide Gravel Pipe Foundation material for unsuitable subgrade materials (use as directed by the Engineer) per plans and specifications for the unit price of _____ Dollars and _____ Cents/C.Y.	\$ _____	\$ _____
17.	1 L.S.	Provide Trench Safety per Technical Specifications for the unit price of _____ Dollars and _____ Cents/L.S.	\$XXXXXXXXXX	\$ _____
18.	1 L.S.	Provide all equipment and material for Testing Sewer Mains and Manholes per plans and specifications for the unit price of _____ Dollars and _____ Cents/L.S.	\$XXXXXXXXXX	\$ _____

BASE BID PROPOSAL

<u>ITEM</u>	<u>QTY/UNIT</u>	<u>DESCRIPTION</u>	<u>UNIT PRICE</u>	<u>TOTAL PRICE</u>
19.	1 L.S.	Establish Vegetation in accordance with the SWP3 per plans and specifications for the lump sum price of _____ Dollars and _____ Cents/L.S.	\$ XXXXXXX	\$ _____
20.	530 S.Y.	Perform Asphalt Street Repair in accordance with the plans and specifications for the unit price of _____ Dollars and _____ Cents/S.Y.	\$ _____	\$ _____
TOTAL BASE BID (Items 1-20)			\$ _____	



Deductive Alternate No.1 – Deletes work shown on plan sheets 7 & 8 (8" Sewer along N Skinner St & E Roselawn St).
 The BID ITEMS as follows represent the REVISED quantities to be installed considering this deduction.


10" Sewer Main Installation

DEDUCTIVE ALTERNATE #1 BID PROPOSAL

<u>ITEM</u>	<u>QTY/UNIT</u>	<u>DESCRIPTION</u>	<u>UNIT PRICE</u>	<u>TOTAL PRICE</u>
1.	1 L.S.	Mobilization (Max 5% of Bid 1 st Pay Request, prorated Over remaining pay requests) for the Lump Sum price of _____ Dollars and _____ Cents/L.S.	\$ _____	\$ _____
2.	1 L.S.	Bonds & Insurance (Max 8% of Bid 1 st Pay Request, prorated Over remaining pay requests) for the Lump Sum price of _____ Dollars and _____ Cents/L.S.	\$ _____	\$ _____
3.	0 L.F.	Furnish & Install 8" SDR-26 PVC Sanitary Sewer Main, 0-8' deep per plans and specifications for the unit price of _____ Dollars and _____ Cents/L.F.	\$ <u>XXXXXXXX</u>	\$ <u>XXXXXXXXXXXX</u>

DEDUCTIVE ALTERNATE #1 BID PROPOSAL

<u>ITEM</u>	<u>QTY/UNIT</u>	<u>DESCRIPTION</u>	<u>UNIT PRICE</u>	<u>TOTAL PRICE</u>
4.	0 L.F.	Furnish & Install 8" SDR-26 PVC Sanitary Sewer Main, 8-10' deep per plans and specifications for the unit price of _____ Dollars and _____ Cents/L.F.	<u>\$ XXXXXXXX</u>	<u>\$ XXXXXXXX</u>
5.	0 L.F.	Furnish & Install 8" SDR-26 PVC Sanitary Sewer Main, 10-12' deep per plans and specifications for the unit price of _____ Dollars and _____ Cents/L.F.	<u>\$ XXXXXXXX</u>	<u>\$ XXXXXXXXXX</u>
6.	0 L.F.	Furnish & Install 8" SDR-26 PVC Sanitary Sewer Main, 12-14' deep per plans and specifications for the unit price of _____ Dollars and _____ Cents/L.F.	<u>\$ XXXXXXXX</u>	<u>\$ XXXXXXXXXX</u>




DEDUCTIVE ALTERNATE #1 BID PROPOSAL

<u>ITEM</u>	<u>QTY/UNIT</u>	<u>DESCRIPTION</u>	<u>UNIT PRICE</u>	<u>TOTAL PRICE</u>
7.	1075 L.F.	Furnish & Install 10" SDR-26 PVC Sanitary Sewer Main, 0-8' deep per plans and specifications for the unit price of _____ Dollars and _____ Cents/L.F.	\$ _____	\$ _____
8.	430 L.F.	Furnish & Install 10" SDR-26 PVC Sanitary Sewer Main, 8-10' deep per plans and specifications for the unit price of _____ Dollars and _____ Cents/L.F.	\$ _____	\$ _____
9.	600 L.F.	Furnish & Install 10" SDR-26 PVC Sanitary Sewer Main, 10-12' deep per plans and specifications for the unit price of _____ Dollars and _____ Cents/L.F.	\$ _____	\$ _____
10.	125 L.F.	Furnish & Install 10" SDR-26 PVC Sanitary Sewer Main, 12-14' deep per plans and specifications for the unit price of _____ Dollars and _____ Cents/L.F.	\$ _____	\$ _____

DEDUCTIVE ALTERNATE #1 BID PROPOSAL

<u>ITEM</u>	<u>QTY/UNIT</u>	<u>DESCRIPTION</u>	<u>UNIT PRICE</u>	<u>TOTAL PRICE</u>
11.	11 EA.	Furnish & Install Standard 4' Dia. Precast Concrete Manholes (0-8-ft Height) per plans and specifications for the unit price of _____ Dollars and _____ Cents/EA.	\$ _____	\$ _____
12.	26 V.F.	Furnish & Install Manhole Extra Vertical Depth (beyond 8-ft) per plans and specifications for the unit price of _____ Dollars and _____ Cents/V.F.	\$ _____	\$ _____
13.	4 EA.	Abandon Existing manholes per plans and specifications for the unit price of _____ Dollars and _____ Cents/EA.	\$ _____	\$ _____
14.	6 EA.	Provide and Install Long Sewer Service Connection Including bore of street, and reconnection to existing Service per plans and specifications for the unit price of _____ Dollars and _____ Cents/EA.	\$ _____	\$ _____



DEDUCTIVE ALTERNATE #1 BID PROPOSAL

<u>ITEM</u>	<u>QTY/UNIT</u>	<u>DESCRIPTION</u>	<u>UNIT PRICE</u>	<u>TOTAL PRICE</u>
15.	10 EA.	Provide and Install Short Sewer Service Connection and reconnection to existing service per plans and specifications for the unit price of _____ Dollars and _____ Cents/EA.	\$ _____	\$ _____
16.	200 C.Y.	Provide Gravel Pipe Foundation material for unsuitable subgrade materials (use as directed by the Engineer) per plans and specifications for the unit price of _____ Dollars and _____ Cents/C.Y.	\$ _____	\$ _____
17.	1 L.S.	Provide Trench Safety per Technical Specifications for the unit price of _____ Dollars and _____ Cents/L.S.	\$XXXXXXXXXX	\$ _____
18.	1 L.S.	Provide all equipment and material for Testing Sewer Mains and Manholes per plans and specifications for the unit price of _____ Dollars and _____ Cents/L.S.	\$XXXXXXXXXX	\$ _____

DEDUCTIVE ALTERNATE #1 BID PROPOSAL

<u>ITEM</u>	<u>QTY/UNIT</u>	<u>DESCRIPTION</u>	<u>UNIT PRICE</u>	<u>TOTAL PRICE</u>
19.	1 L.S.	Establish Vegetation in accordance with the SWP3 per plans and specifications for the lump sum price of _____ Dollars and _____ Cents/L.S.	\$ XXXXXXX	\$ _____
20.	60 S.Y.	Perform Asphalt Street Repair in accordance with the plans and specifications for the unit price of _____ Dollars and _____ Cents/S.Y.	\$ _____	\$ _____
TOTAL DEDUCTIVE ALTERNATE No.1 BID			\$ _____	

Method to Determine Lowest Bid.

The lowest bid shall be the lowest bid price on the base contract, depending upon available funds, without consideration of the prices on the additive or deductive items.

Deductive Alternate No.2 – Deletes work shown on plan sheet 3 (station 0+00 to 6+91.46)
 The BID ITEMS as follows represent the REVISED quantities to be installed considering this deduction.


10" Sewer Main Installation

DEDUCTIVE ALTERNATE #2 BID PROPOSAL

<u>ITEM</u>	<u>QTY/UNIT</u>	<u>DESCRIPTION</u>	<u>UNIT PRICE</u>	<u>TOTAL PRICE</u>
1.	1 L.S.	Mobilization (Max 5% of Bid 1 st Pay Request, prorated Over remaining pay requests) for the Lump Sum price of _____ Dollars and _____ Cents/L.S.	\$ _____	\$ _____
2.	1 L.S.	Bonds & Insurance (Max 8% of Bid 1 st Pay Request, prorated Over remaining pay requests) for the Lump Sum price of _____ Dollars and _____ Cents/L.S.	\$ _____	\$ _____
3.	0 L.F.	Furnish & Install 8" SDR-26 PVC Sanitary Sewer Main, 0-8' deep per plans and specifications for the unit price of _____ Dollars and _____ Cents/L.F.	\$ <u>XXXXXXXX</u>	\$ <u>XXXXXXXXXXXX</u>


DEDUCTIVE ALTERNATE #2 BID PROPOSAL

<u>ITEM</u>	<u>QTY/UNIT</u>	<u>DESCRIPTION</u>	<u>UNIT PRICE</u>	<u>TOTAL PRICE</u>
4.	0 L.F.	Furnish & Install 8" SDR-26 PVC Sanitary Sewer Main, 8-10' deep per plans and specifications for the unit price of _____ Dollars and _____ Cents/L.F.	<u>\$ XXXXXXXX</u>	<u>\$ XXXXXXXX</u>
5.	0 L.F.	Furnish & Install 8" SDR-26 PVC Sanitary Sewer Main, 10-12' deep per plans and specifications for the unit price of _____ Dollars and _____ Cents/L.F.	<u>\$ XXXXXXXX</u>	<u>\$ XXXXXXXXX</u>
6.	0 L.F.	Furnish & Install 8" SDR-26 PVC Sanitary Sewer Main, 12-14' deep per plans and specifications for the unit price of _____ Dollars and _____ Cents/L.F.	<u>\$ XXXXXXXX</u>	<u>\$ XXXXXXXXX</u>




DEDUCTIVE ALTERNATE #2 BID PROPOSAL

<u>ITEM</u>	<u>QTY/UNIT</u>	<u>DESCRIPTION</u>	<u>UNIT PRICE</u>	<u>TOTAL PRICE</u>
7.	550 L.F.	Furnish & Install 10" SDR-26 PVC Sanitary Sewer Main, 0-8' deep per plans and specifications for the unit price of _____ Dollars and _____ Cents/L.F.	\$ _____	\$ _____
8.	355 L.F.	Furnish & Install 10" SDR-26 PVC Sanitary Sewer Main, 8-10' deep per plans and specifications for the unit price of _____ Dollars and _____ Cents/L.F.	\$ _____	\$ _____
9.	512 L.F.	Furnish & Install 10" SDR-26 PVC Sanitary Sewer Main, 10-12' deep per plans and specifications for the unit price of _____ Dollars and _____ Cents/L.F.	\$ _____	\$ _____
10.	125 L.F.	Furnish & Install 10" SDR-26 PVC Sanitary Sewer Main, 12-14' deep per plans and specifications for the unit price of _____ Dollars and _____ Cents/L.F.	\$ _____	\$ _____



DEDUCTIVE ALTERNATE #2 BID PROPOSAL

<u>ITEM</u>	<u>QTY/UNIT</u>	<u>DESCRIPTION</u>	<u>UNIT PRICE</u>	<u>TOTAL PRICE</u>
11.	9 EA.	Furnish & Install Standard 4' Dia. Precast Concrete Manholes (0-8-ft Height) per plans and specifications for the unit price of _____ Dollars and _____ Cents/EA.	\$ _____	\$ _____
12.	26 V.F.	Furnish & Install Manhole Extra Vertical Depth (beyond 8-ft) per plans and specifications for the unit price of _____ Dollars and _____ Cents/V.F.	\$ _____	\$ _____
13.	3 EA.	Abandon Existing manholes per plans and specifications for the unit price of _____ Dollars and _____ Cents/EA.	\$ _____	\$ _____
14.	1 EA.	Provide and Install Long Sewer Service Connection Including bore of street, and reconnection to existing Service per plans and specifications for the unit price of _____ Dollars and _____ Cents/EA.	\$ _____	\$ _____



DEDUCTIVE ALTERNATE #2 BID PROPOSAL

<u>ITEM</u>	<u>QTY/UNIT</u>	<u>DESCRIPTION</u>	<u>UNIT PRICE</u>	<u>TOTAL PRICE</u>
15.	7 EA.	Provide and Install Short Sewer Service Connection and reconnection to existing service per plans and specifications for the unit price of _____ Dollars and _____ Cents/EA.	\$ _____	\$ _____
16.	200 C.Y.	Provide Gravel Pipe Foundation material for unsuitable subgrade materials (use as directed by the Engineer) per plans and specifications for the unit price of _____ Dollars and _____ Cents/C.Y.	\$ _____	\$ _____
17.	1 L.S.	Provide Trench Safety per Technical Specifications for the unit price of _____ Dollars and _____ Cents/L.S.	\$XXXXXXXXXX	\$ _____
18.	1 L.S.	Provide all equipment and material for Testing Sewer Mains and Manholes per plans and specifications for the unit price of _____ Dollars and _____ Cents/L.S.	\$XXXXXXXXXX	\$ _____

DEDUCTIVE ALTERNATE #2 BID PROPOSAL

<u>ITEM</u>	<u>QTY/UNIT</u>	<u>DESCRIPTION</u>	<u>UNIT PRICE</u>	<u>TOTAL PRICE</u>
19.	1 L.S.	Establish Vegetation in accordance with the SWP3 per plans and specifications for the lump sum price of _____ Dollars and _____ Cents/L.S.	\$ XXXXXXX	\$ _____
20.	60 S.Y.	Perform Asphalt Street Repair in accordance with the plans and specifications for the unit price of _____ Dollars and _____ Cents/S.Y.	\$ _____	\$ _____
TOTAL DEDUCTIVE ALTERNATE No.2 BID			\$ _____	

Method to Determine Lowest Bid.

The lowest bid shall be the lowest bid price on the base contract, depending upon available funds, without consideration of the prices on the additive or deductive items.

NOTE:

Insurance, Bid Bond, Performance Bond and Payment Bond shall be required by the Contractor. Contractor shall be licensed in the State of Arkansas.

Contractor shall include provisions for bypass pumping as necessary to complete tie-ins and connections for the proposed sewer main installation.

Manhole construction may be cast-in-place or precast at the contractor's option. Approval of all materials is required by the engineer prior to construction.

Clearing and Grubbing is subsidiary to the sewer main installation. Removal and replacement of fences, mailboxes, or other items is subsidiary to the sewer main installation. Debris within the sewer alignment shall be removed and/or burned as allowed by local officials.

