


**CAMDEN WATER UTILITIES
SANITARY SEWER IMPROVEMENTS**

**BID PROPOSAL
BID PROPOSAL - SCHEDULE A (WEST MAPLE SEWER MAIN)**

ITEM	QTY	UNIT	DESCRIPTION	UNIT PRICE	TOTAL PRICE
1	280	L.F.	Furnish & Install 8" PVC Sanitary Sewer Main (SDR 26)(0-8 ft depth) to the grade shown In the plans and specifications including all materials, Bedding, backfill, equipment and labor for the unit price of _____ Dollars and _____ Cents/L.F	\$ _____	\$ _____
2	60	L.F.	Furnish & Install 15" DIP Sanitary Sewer Main (creek crossing) to the grade shown in the plans and specifications including all clearing & grubbing, pipe connection, materials, bedding, backfill, equipment and labor for the unit price of _____ Dollars and _____ Cents/L.F	\$ _____	\$ _____



BID PROPOSAL CONTINUED

ITEM	QTY	UNIT	DESCRIPTION	UNIT PRICE	TOTAL PRICE
3	2	EA	Perform connection to existing concrete manhole for new 8" sewer main including all materials, equipment and labor for the unit price of _____ Dollars and _____ Cents/EA	\$ _____	\$ _____
4	1	EA	Furnish & Install 4-ft diameter precast concrete manhole (6-ft depth) including removal of existing manhole as indicated in the plans and specifications including all materials, Bedding, backfill, equipment and labor for the unit price of _____ Dollars and _____ Cents/EA	\$ _____	\$ _____

BID PROPOSAL CONTINUED
BID PROPOSAL - SCHEDULE B (30" INTERCEPTOR)

ITEM	QTY	UNIT	DESCRIPTION	UNIT PRICE	TOTAL PRICE
5	11	EA	Furnish & Install 5-ft diameter precast concrete manhole (0-8 ft depth) as shown on the plans including all excavation, bedding, gaskets, grout, and incidentals necessary for the installation of the manholes per plan and specifications for the unit price of _____ Dollars and _____ Cents/EA	\$ _____	\$ _____
6	96	V.F.	Furnish & Install manhole extra vertical depth as required to achieve grades as shown in the plans for 5-ft diameter precast manholes including all materials, backfill, equipment and labor for the unit price of _____ Dollars and _____ Cents/V.F	\$ _____	\$ _____

BID PROPOSAL CONTINUED

ITEM	QTY	UNIT	DESCRIPTION	UNIT PRICE	TOTAL PRICE
7	1	L.S.	Furnish & Install Trench Protection associated with Excavation for the sewer main installation. Contractor shall provide and implements safety features in accordance With OSHA Standards for the lump sum price of _____ Dollars and _____ Cents/L.S.	\$ _____	\$ _____
8	272	L.F.	Perform installation of 30-inch diameter PVC Sewer Main ASTM F679 (pipe provided by owner) by trenching (6-8 ft depth) to include all labor, equipment, bedding materials as per plans and specifications for the unit price of _____ Dollars and _____ Cents/L.F.	\$ _____	\$ _____

BID PROPOSAL CONTINUED


ITEM	QTY	UNIT	DESCRIPTION	UNIT PRICE	TOTAL PRICE
9	654	L.F.	Perform installation of 30-inch diameter PVC Sewer Main ASTM F679 (pipe provided by owner) by trenching (8-10 ft depth) to include all labor, equipment, bedding materials as per plans and specifications for the unit price of _____ Dollars and _____ Cents/L.F.	\$ _____	\$ _____
10	937	L.F.	Perform installation of 30-inch diameter PVC Sewer Main ASTM F679 (pipe provided by owner) by trenching (10-12 ft depth) to include all labor, equipment, bedding materials as per plans and specifications for the unit price of _____ Dollars and _____ Cents/L.F.	\$ _____	\$ _____

BID PROPOSAL CONTINUED

ITEM	QTY	UNIT	DESCRIPTION	UNIT PRICE	TOTAL PRICE
11	428	L.F.	Perform installation of 30-inch diameter PVC Sewer Main ASTM F679 (pipe provided by owner) by trenching (12-14 ft depth) to include all labor, equipment, bedding materials as per plans and specifications for the unit price of _____ Dollars and _____ Cents/L.F.	\$ _____	\$ _____
12	648	L.F.	Perform installation of 30-inch diameter PVC Sewer Main ASTM F679 (pipe provided by owner) by trenching (14-16 ft depth) to include all labor, equipment, bedding materials as per plans and specifications for the unit price of _____ Dollars and _____ Cents/L.F.	\$ _____	\$ _____


BID PROPOSAL CONTINUED

ITEM	QTY	UNIT	DESCRIPTION	UNIT PRICE	TOTAL PRICE
13	549	L.F.	Perform installation of 30-inch diameter PVC Sewer Main ASTM F679 (pipe provided by owner) by trenching (16-18 ft depth) to include all labor, equipment, bedding materials as per plans and specifications for the unit price of _____ Dollars and _____ Cents/L.F.	\$ _____	\$ _____
14	98	L.F.	Perform installation of 30-inch diameter PVC Sewer Main ASTM F679 (pipe provided by owner) by BORE (up to 8-ft depth)(2 creek crossings) to include all labor and equipment per plans and specifications for the unit price of _____ Dollars and _____ Cents/L.F.	\$ _____	\$ _____




BID PROPOSAL CONTINUED

ITEM	QTY	UNIT	DESCRIPTION	UNIT PRICE	TOTAL PRICE
15	9	EA	Plug and abandon existing manhole per plans and specifications for the unit price of _____ Dollars and _____ Cents/EA	\$ _____	\$ _____
16	500	C.Y.	Perform installation of additional gravel embedment as approved by engineer due to poor soil conditions to include material, excavation, equipment, and labor per plans and specifications for the unit price of _____ Dollars and _____ Cents/C.Y.	\$ _____	\$ _____



BID PROPOSAL CONTINUED

ITEM	QTY	UNIT	DESCRIPTION	UNIT PRICE	TOTAL PRICE
17	3582	L.F.	Perform trench dewatering for sewer main installation to include all materials, equipment, pumps, labor, and operation as necessary to dewater soils for sewer main installation per plans and specifications for the unit price (linear foot of sewer main) of _____ Dollars and _____ Cents/L.F.	\$ _____	\$ _____
18	1	L.S.	Provide stabilization of disturbed soil and establish Permanent vegetation in accordance with Stormwater Pollution Prevention Plan for the unit price of _____ Dollars and _____ Cents/L.S.	\$ _____	\$ _____



BID PROPOSAL CONTINUED


ITEM	QTY	UNIT	DESCRIPTION	UNIT PRICE	TOTAL PRICE
19	30	C.Y.	Provide and Install rock rip-rap (8-10") with filter fabric for bank protection and erosion prevention as noted in the Stormwater Pollution Prevention Plan for the unit price of	\$ _____	\$ _____
			_____ Dollars and		
			_____ Cents/C.Y.		

BID PROPOSAL - SCHEDULE C-INTERCEPTOR 2

20	215	L.F.	Furnish & Install 24" PVC Sanitary Sewer Main ASTM F679 (pipe provided by owner) by trenching (6-8' depth) to include all labor, equipment, bedding materials as per plans and specifications for the unit price of	\$ _____	\$ _____
			_____ Dollars and		
			_____ Cents/L.F.		

BID PROPOSAL CONTINUED

ITEM	QTY	UNIT	DESCRIPTION	UNIT PRICE	TOTAL PRICE
21	1035	L.F.	Furnish & Install 24" PVC Sanitary Sewer Main ASTM F679 (pipe provided by owner) by trenching (8-10' depth) to include all labor, equipment, bedding materials as per plans and specifications for the unit price of	\$ _____	\$ _____
			_____ Dollars and _____ Cents/L.F.		
22	575	L.F.	Furnish & Install 24" PVC Sanitary Sewer Main ASTM F679 (pipe provided by owner) by trenching (10-12' depth) to include all labor, equipment, bedding materials as per plans and specifications for the unit price of	\$ _____	\$ _____
			_____ Dollars and _____ Cents/L.F.		



BID PROPOSAL CONTINUED

ITEM	QTY	UNIT	DESCRIPTION	UNIT PRICE	TOTAL PRICE
23	100	L.F.	Furnish & Install 24" PVC Sanitary Sewer Main ASTM F679 (pipe provided by owner) by trenching (12-14' depth) to include all labor, equipment, bedding materials as per plans and specifications for the unit price of _____ _____ Dollars and Cents/L.F.	\$ _____	\$ _____
24	100	L.F.	Furnish & Install 24" PVC Sanitary Sewer Main ASTM F679 (pipe provided by owner) by trenching (14-16' depth) to include all labor, equipment, bedding materials as per plans and specifications for the unit price of _____ _____ Dollars and Cents/L.F.	\$ _____	\$ _____

BID PROPOSAL CONTINUED


ITEM	QTY	UNIT	DESCRIPTION	UNIT PRICE	TOTAL PRICE
25	50	L.F.	Furnish & Install 24" PVC Sanitary Sewer Main ASTM F679 (pipe provided by owner) by trenching (18-20' depth) to include all labor, equipment, bedding materials as per plans and specifications for the unit price of _____ Dollars and _____ Cents/L.F.	\$ _____	\$ _____
26	50	L.F.	Furnish & Install 24" PVC Sanitary Sewer Main ASTM F679 (pipe provided by owner) by trenching (20-22' depth) to include all labor, equipment, bedding materials as per plans and specifications for the unit price of _____ Dollars and _____ Cents/L.F.	\$ _____	\$ _____

BID PROPOSAL CONTINUED

ITEM	QTY	UNIT	DESCRIPTION	UNIT PRICE	TOTAL PRICE
27	370	L.F.	Furnish & Install 24" PVC Sanitary Sewer Main ASTM F679 (pipe provided by owner) by trenching (22-24' depth) to include all labor, equipment, bedding materials as per plans and specifications for the unit price of _____ Dollars and _____ Cents/L.F.	\$ _____	\$ _____
28	180	L.F.	Furnish & Install 24" PVC Sanitary Sewer Main ASTM F679 (pipe provided by owner) by trenching (24-26' depth) to include all labor, equipment, bedding materials as per plans and specifications for the unit price of _____ Dollars and _____ Cents/L.F.	\$ _____	\$ _____


BID PROPOSAL CONTINUED

ITEM	QTY	UNIT	DESCRIPTION	UNIT PRICE	TOTAL PRICE
29	155	L.F.	Furnish & Install 24" PVC Sanitary Sewer Main ASTM F679 (pipe provided by owner) by trenching (26-28' depth) to include all labor, equipment, bedding materials as per plans and specifications for the unit price of _____ Dollars and _____ Cents/L.F.	\$ _____	\$ _____
30	9	EA	Furnish & Install 5-ft diameter precast concrete manhole (0-8 ft depth) as shown on the plans including all excavation, bedding, gaskets, grout, and incidentals necessary for the installation of the manholes per plan and specifications for the unit price of _____ Dollars and _____ Cents/EA	\$ _____	\$ _____



BID PROPOSAL CONTINUED

ITEM	QTY	UNIT	DESCRIPTION	UNIT PRICE	TOTAL PRICE
31	200	V.F.	Provide & Install Extra Vertical Depth for 5-ft Diameter Precast concrete manhole (item 30) as required to achieve grades as shown in the plans. Item shall include all materials, labor and equipment as required per plans and specifications for the unit price of _____ Dollars and _____ Cents/V.F.	\$ _____	\$ _____
32	500	C.Y.	Perform installation of additional gravel embedment as approved by engineer due to poor soil conditions to include material, excavation, equipment, and labor per plans and specifications for the unit price of _____ Dollars and _____ Cents/C.Y.	\$ _____	\$ _____



BID PROPOSAL CONTINUED

ITEM	QTY	UNIT	DESCRIPTION	UNIT PRICE	TOTAL PRICE
33	2830	L.F.	Perform trench dewatering for sewer main installation to include all materials, equipment, pumps, labor, and operation as necessary to dewater soils for sewer main installation per plans and specifications for the unit price (linear foot of sewer main) of _____ Dollars and _____ Cents/L.F.	\$ _____	\$ _____
34	1	L.S.	Furnish & Install Trench Protection associated with Excavation for the 24" Sewer Main Installation. Contractor shall provide and implement safety features in accordance with OSHA Standards for the Lump Sum Price of _____ Dollars and _____ Cents/L.S.	\$ _____	\$ _____

BID PROPOSAL CONTINUED

ITEM	QTY	UNIT	DESCRIPTION	UNIT PRICE	TOTAL PRICE
35	1	L.S.	Provide stabilization of disturbed soil and establish Permanent vegetation in accordance with Stormwater Pollution Prevention Plan for the Lump sum Price of _____ Dollars and _____ Cents/L.S.	\$ _____	\$ _____
36	500	L.F.	Provide, Install, and Maintain silt fence in accordance with the Stormwater Pollution Prevention Plan including all labor, materials, and equipment as required by the plans and specifications for the unit price of _____ Dollars and _____ Cents/L.F.	\$ _____	\$ _____

BID PROPOSAL CONTINUED

ITEM	QTY	UNIT	DESCRIPTION	UNIT PRICE	TOTAL PRICE
37	4	EA	Perform abandonment and plugging of existing manholes Including all labor, materials, and equipment as required by the plans and specifications for the unit price of the next automatically.	\$ _____	\$ _____
_____ Dollars and _____ Cents/EA					
TOTAL OF ALL ITEMS				\$ _____	

NOTES: Items such as clearing and grubbing, bypass pumping, testing of the new sewer main, or other items subsidiary to the main installation shall be included in the Bid under the most appropriate Bid Item.