

# ADDENDUM NO. 1

TO: ALL PLAN HOLDERS

RE: Kaufman & Banger Street Rehabilitation – City of Linden, Texas

ADDENDUM DATE: January 9, 2023

The Plans, Specifications and Contract Documents for the above referenced project are hereby modified as follows:

1. **Bid Proposal: Remove and Replace Bid Proposal with attached.**

## PROJECT CLARIFICATION


1. On the bid proposal, Item 17 revised to “Concrete Swale” to reflect the area in the plans found on Sheet 8 and Detail “A” on Sheet 15. Bid Item 18 & 19 added for areas of Concrete Channel and curb & gutter replacement on Sheet 10. Following bid item numbers adjusted accordingly.
2. The approx.. 5' x 6.18' shown on Sheet 15 is 4” concrete sidewalk adjacent to the 6” concrete drive.

ADDENDUM NO.1 ISSUED BY:

A.L. FRANKS ENGINEERING



Caleb Mudford, P.E.  
Project Manager




1-9-2023

**CTY OF LINDEN, TEXAS**  
**KAUFMAN & BANGER STREET REHABILITATION**

**BID PROPOSAL**

ITEM	QTY	UNIT	DESCRIPTION	UNIT PRICE	TOTAL PRICE
1	1	L.S.	Mobilization including preparatory work and operations, including but not limited to, movement of personnel, equipment, supplies, and incidentals to the project site for the lump sum price of  _____ Dollars and _____ Cents/L.S.	\$ _____	\$ _____
2	5182	S.Y.	Perform pulverizing of existing asphalt surface including removal of top 3.5" of surface after pulverization. Includes pulverization and removal and disposal of excavated material for the unit price of  _____ Dollars and _____ Cents/S.Y.	\$ _____	\$ _____




BID PROPOSAL CONTINUED

ITEM	QTY	UNIT	DESCRIPTION	UNIT PRICE	TOTAL PRICE
3	2267	S.Y.	Perform pulverizing of existing asphalt surface. Includes pulverization and removal and disposal of excavated material as needed for the unit price of  _____ Dollars and _____ Cents/S.Y.	\$ _____	\$ _____
4	66.7	S.Y.	Perform removal of existing asphalt surface. Includes removal and disposal of excavated material for the unit price of  _____ Dollars and _____ Cents/S.Y.	\$ _____	\$ _____
5	20.1	S.Y.	Perform removal and replacement of existing gravel drive surface associated with the replacement of driveway culvert including all grading and compaction for the unit price of  _____ Dollars and _____ Cents/S.Y.	\$ _____	\$ _____


BID PROPOSAL CONTINUED

ITEM	QTY	UNIT	DESCRIPTION	UNIT PRICE	TOTAL PRICE
6	108	L.F.	Perform removal and disposal of various size and material stormdrain culverts for the unit price of  _____ Dollars and _____ Cents/L.S.	\$ _____	\$ _____
7	1	E.A.	Perform removal and disposal of existing brick drainage inlet for the unit price of  _____ Dollars and _____ Cents/E.A.	\$ _____	\$ _____
8	1	L.S.	Perform removal and disposal of existing concrete wall/headwall for the lump sum price of  _____ Dollars and _____ Cents/L.S.	\$ _____	\$ _____



BID PROPOSAL CONTINUED

ITEM	QTY	UNIT	DESCRIPTION	UNIT PRICE	TOTAL PRICE
9	9.5	S.Y.	Perform removal of existing sidewalk to neat lines. Includes saw cut, removal & disposal of concrete sidewalk for the unit price of	\$ _____	\$ _____
			_____ Dollars and _____ Cents/S.Y.		
10	90.5	L.F.	Perform removal of existing curb & gutter to neat lines. Includes saw cut, removal & disposal of concrete curb & gutter for the unit price of	\$ _____	\$ _____
			_____ Dollars and _____ Cents/L.F.		
11	435	C.Y.	Perform unclassified excavation and removal of existing material, including removal and disposal of existing materials as necessary per the plans for the unit price of	\$ _____	\$ _____
			_____ Dollars and _____ Cents/C.Y.		




BID PROPOSAL CONTINUED

ITEM	QTY	UNIT	DESCRIPTION	UNIT	TOTAL
12	75	C.Y.	Provide and install compacted embankment including all labor, hauling, materials, compaction and incidentals required as needed and described in the plans and specifications for the unit price of  _____ Dollars and _____ Cents/C.Y.	\$ _____	\$ _____
13	8846	S.Y.	Perform cement stabilization for (6" Depth) at a rate of 35 lb/sy including all equipment, materials, and labor for mixing, watering, microcracking and final compaction of base per plans and specifications for the unit price of  _____ Dollars and _____ Cents/S.Y.	\$ _____	\$ _____
14	6947	S.Y.	Provide and Install ACHM Surface Mix (3.5" compacted depth) including prime coat all labor and equipment as required per the plans and specifications for the unit price of  _____ Dollars and _____ Cents/S.Y.	\$ _____	\$ _____

BID PROPOSAL CONTINUED

ITEM	QTY	UNIT	DESCRIPTION	UNIT PRICE	TOTAL PRICE
15	1136	S.Y.	Provide and Install ACHM Surface Mix (2.0" compacted depth) including prime coat all labor and equipment as required per the plans and specifications for the unit price of  _____ Dollars and _____ Cents/S.Y.	\$ _____	\$ _____
16	72.3	S.Y.	Provide and install 6" of base course w/ TX-5 geo grid including all labor and equipment, materials and grading as required per the plans and specifications for the unit price of  _____ Dollars and _____ Cents/S.Y.	\$ _____	\$ _____
17	60.7	S.Y.	Provide and install concrete swale as required in accordance with the plans and specifications for the unit price of  _____ Dollars and _____ Cents/S.Y.	\$ _____	\$ _____




BID PROPOSAL CONTINUED

ITEM	QTY	UNIT	DESCRIPTION	UNIT PRICE	TOTAL PRICE
18	41.8	S.Y.	Provide and install concrete channel as required in accordance with the plans and specifications for the unit price of  _____ Dollars and _____ Cents/S.Y.	\$ _____	\$ _____
19	90.5	L.F.	Provide and install concrete curb and gutter as required in accordance with the plans and specifications for the unit price of  _____ Dollars and _____ Cents/L.F.	\$ _____	\$ _____
20	23	S.Y.	Provide and install 6" thick concrete driveway including all labor and equipment, materials and grading per the plans and specifications for the unit price of  _____ Dollars and _____ Cents/S.Y.	\$ _____	\$ _____




BID PROPOSAL CONTINUED

ITEM	QTY	UNIT	DESCRIPTION	UNIT PRICE	TOTAL PRICE
21	7.8	S.Y.	Concrete sidewalk flatwork 4" thick per the plans and specifications for the unit price of  _____ Dollars and _____ Cents/S.Y.	\$ _____	\$ _____
22	1	L.S.	Abandon in place existing 6" sewer main including excavation, plugs and work necessary for the abandonment of sewer mains for the lump sum price of  _____ Dollars and _____ Cents/L.S	\$ _____	\$ _____
23	1	E.A.	Provide and install connection to existing manhole by core drilling including all labor and equipment, grouting, excavation and testing per the plans and specifications for the unit price of  _____ Dollars and _____ Cents/E.A.	\$ _____	\$ _____




BID PROPOSAL CONTINUED

ITEM	QTY	UNIT	DESCRIPTION	UNIT PRICE	TOTAL PRICE
24	1	E.A.	Provide and install end of line sewer cleanout including all labor and equipment, materials, excavation, backfilling, blocking and bedding per the plans and specifications for the unit price of  _____ Dollars and _____ Cents/E.A.	\$ _____	\$ _____
25	6	EA.	Provide and install sewer service connections including locating of connections and any necessary earthwork required, piping and fittings as described in the plans and specifications per each  _____ Dollars and _____ Cents/EA	\$ _____	\$ _____
26	405	L.F.	Provide and install 8" SDR-26 sewer main and fittings including trench excavation, laying, bedding, tracer wire, grouting and backfilling per plans and specifications for the unit price of  _____ Dollars and _____ Cents/L.F	\$ _____	\$ _____




BID PROPOSAL CONTINUED

ITEM	QTY	UNIT	DESCRIPTION	UNIT PRICE	TOTAL PRICE
27	1	L.S.	Provide and install sidewalk flume, grate and associated appurtances as required in accordance with the plans and specifications for the unit price of  _____ Dollars and _____ Cents/L.S.	\$ _____	\$ _____
28	24	L.F.	Furnish and intall 12" RCP per the plans and specifications for the unit price of  _____ Dollars and _____ Cents/L.F.	\$ _____	\$ _____
29	24	L.F.	Furnish and intail 18" RCP per the plans and specifications for the unit price of  _____ Dollars and _____ Cents/L.F.	\$ _____	\$ _____




BID PROPOSAL CONTINUED

ITEM	QTY	UNIT	DESCRIPTION	UNIT PRICE	TOTAL PRICE
30	40	L.F.	Furnish and intall 30" RCP per the plans and specifications for the unit price of  _____ Dollars and _____ Cents/L.F.	\$ _____	\$ _____
31	2	E.A.	Furnish and intall 24" RCP 6:1 SET per the plans and specifications for the unit price of  _____ Dollars and _____ Cents/E.A.	\$ _____	\$ _____
32	1	E.A.	Furnish and intall 18" RCP 6:1 SET per the plans and specifications for the unit price of  _____ Dollars and _____ Cents/E.A.	\$ _____	\$ _____




BID PROPOSAL CONTINUED

ITEM	QTY	UNIT	DESCRIPTION	UNIT PRICE	TOTAL PRICE
33	1	E.A.	Furnish and intall 18" RCP 4:1 SET per the plans and specifications for the unit price of  _____ Dollars and _____ Cents/E.A.	\$ _____	\$ _____
34	2.8	S.Y.	Furnish and install rock rip-rap (12") slope stabilization including the installation of geotextile fabric as required by the plans and specifications at the locations shown in the plans for the unit price of  _____ Dollars and _____ Cents/S.Y.	\$ _____	\$ _____
35	0.5	AC	Provide and install hydroseeding at all disturbed areas within the Kaufman & Banger Street project area as necessary to establish permanent vegetation in accordance with TXDOT seeding and fertilizer requirements for site soil type and season for the unit price of  _____ Dollars and _____ Cents/AC	\$ _____	\$ _____



BID PROPOSAL CONTINUED

ITEM	QTY	UNIT	DESCRIPTION	UNIT PRICE	TOTAL PRICE
36	1	L.S.	Provide and install trench protection as required in accordance with the plans and specifications for the lump sum price of	\$ _____	\$ _____
			_____ Dollars and _____ Cents/L.S.		
37	1	L.S.	Furnish and install traffic control devices, including but not limited to, installing, maintaining, and removing traffic control devices according to the plans and specifications for the lump sum price of	\$ _____	\$ _____
			_____ Dollars and _____ Cents/L.S.		



BID PROPOSAL CONTINUED

ITEM	QTY	UNIT	DESCRIPTION	UNIT PRICE	TOTAL PRICE
38	1	L.S.	Perform Testing of materials, compaction, or other items requested by the Engineer and performed by an approved laboratory with a project allowance of \$4,000 per the project plans and specifications for the lump price of	\$ <u>4000</u>	\$ <u>4000</u>
			<div style="display: flex; justify-content: space-between;"> <span>Four thousand</span> <span>Dollars and</span> </div> <hr/> <div style="display: flex; justify-content: space-between;"> <span>zero</span> <span>Cents/L.S.</span> </div> <hr/>		
39	1	L.S.	Install & maintain erosion control measures as shown on the Erosion Control Plan including silt fencing, inlet protection, rock dam, seeding, and other controls as necessary to limit erosion throughout the project and establish a minimum of 70% permanent vegetation for the lump sum price of	\$ _____	\$ _____
			<div style="display: flex; justify-content: space-between;"> <span>_____</span> <span>Dollars and</span> </div> <hr/> <div style="display: flex; justify-content: space-between;"> <span>_____</span> <span>Cents/L.S.</span> </div> <hr/>		
TOTAL OF ITEMS 1-39				\$ _____	

## BID PROPOSAL CONTINUED

NOTES: Contractor shall submit bids and hold price for a period of no more than 60 days from the bid opening. All work shall be done in accordance with TCEQ requirements and permits as provided in the specifications.

Items that are subsidiary to performing the work shall include all labor, equipment, and materials shall be supplied by the contractor. Existing utilities and improvements shall be protected during construction and contractor shall coordinate with City of Linden Utility Department for existing utilities encountered. Protection measures shall be approved by the engineer prior to construction.

Haul routes approved designated by the city shall be restored to original conditions upon completion of the work. This area is not included in seeding / revegetation and shall be considered subsidiary to the work.

