

2022 Street Rehabilitation


City of Texarkana, Arkansas

BID PROPOSAL
SCHEDULE A: TENNESSEE ROAD

<u>ITEM</u>	<u>QTY/UNIT</u>	<u>DESCRIPTION</u>	<u>UNIT PRICE</u>	<u>TOTAL PRICE</u>
1.	6,640 S.Y.	Perform pulverizing of existing asphalt surface And base to a depth of 8-inches, Furnish & Install Cement and Mixing of existing base at a rate of 40 pounds per square yard. To include all labor and Equipment needed for mixing, watering, compaction, shaping In accordance with the project specifications and Plans for the unit price of _____ Dollars and _____ Cents/S.Y.	\$ _____	\$ _____
2.	12,760 SY	Provide and Install ACHM Surface Mix (2" compacted depth) including prime coat All labor and equipment as required per the plans and specifications for the unit price of _____ Dollars and _____ Cents/SY	\$ _____	\$ _____

BID PROPOSAL
(Cont'd)

<u>ITEM</u>	<u>QTY/UNIT</u>	<u>DESCRIPTION</u>	<u>UNIT PRICE</u>	<u>TOTAL PRICE</u>
3.	1,300 LF	Perform removal of brush / vegetation from Ditchline as noted in the plans to include removal Of debris for the unit price of _____ Dollars and _____ Cents/LF	\$ _____	\$ _____
4.	100 LF	Perform fine grading of ditchline to ensure positive Drainage and remove excess silt as noted in the plans for the unit price of _____ Dollars and _____ Cents/L.F.	\$ _____	\$ _____



BID PROPOSAL
(Cont'd)

<u>ITEM</u>	<u>QTY/UNIT</u>	<u>DESCRIPTION</u>	<u>UNIT PRICE</u>	<u>TOTAL PRICE</u>
5.	1 LS	Perform Testing of materials, compaction, Or other items requested by the Engineer And performed by an approved laboratory With a project allowance of \$2,000 per the Project plans and specifications for the lump price of <u> TWO Thousand FIVE Hundred </u> Dollars and <u> Zero </u> Cents/LS	<u> \$ 2,500.00 </u>	<u> \$ 2,500.00 </u>
6.	20 LF	Provide and Install 15" HDPE (N-12 dual wall pipe) (driveway crossing) to include removal of existing Culvert, excavation, materials, gravel driveway base, all labor and equipment as shown in the plans and specifications for the unit price of <u> </u> Dollars and <u> </u> Cents/LF	<u> \$ </u>	<u> \$ </u>

BID PROPOSAL
(Cont'd)

7.	52 LF	Provide and Install 24" HDPE (N-12 dual wall pipe) (street crossing) to include removal of existing Culvert, excavation, materials, backfill, all labor and equipment as shown in the plans and specifications for the unit price of	_____ Dollars and		
			_____ Cents/LF	\$ _____	\$ _____
8.	4 EA	Provide and Install straight concrete headwall (single 24" HDPE culvert) to include excavation, materials, backfill, all labor and equipment as shown in the plans and specifications for the unit price of	_____ Dollars and		
			_____ Cents/EA	\$ _____	\$ _____
9.	15 TONS	Provide and Install Asphalt Level Up to existing Street surface prior to overlay to include all labor, material and equipment as shown in the plans and specifications for the unit price of	_____ Dollars and		
			_____ Cents/TON	\$ _____	\$ _____

BID PROPOSAL
(Cont'd)

10. 1 LUMP SUM Provide and Install Street Pavement Markings
(centerline and stop bars) upon completion of
Paving to include all labor, material and equipment
as shown in the plans and specifications for the
lump sum price of


_____ Dollars and

_____ Cents/L3

\$ _____ \$ _____

SCHEDULE A: TOTAL OF ITEMS 1-10

\$ _____



BID PROPOSAL
SCHEDULE B: MEADOWS ROAD

<u>ITEM</u>	<u>QTY/UNIT</u>	<u>DESCRIPTION</u>	<u>UNIT PRICE</u>	<u>TOTAL PRICE</u>
11.	7,660 S.Y.	Perform pulverizing of existing asphalt surface And base to a depth of 8-inches, Furnish & Install Cement and Mixing of existing base at a rate of 40 pounds per square yard. To include all labor and Equipment needed for watering, compaction, shaping In accordance with the project specifications and Plans for the unit price of _____ Dollars and _____ Cents/S.Y.	\$ _____	\$ _____
12.	10,030 SY	Provide and Install ACHM Surface Mix (2" compacted depth) including prime coat All labor and equipment as required per the plans and specifications for the unit price of _____ Dollars and _____ Cents/SY	\$ _____	\$ _____

BID PROPOSAL

(Cont'd)


<u>ITEM</u>	<u>QTY/UNIT</u>	<u>DESCRIPTION</u>	<u>UNIT PRICE</u>	<u>TOTAL PRICE</u>
13.	3,010 LF	Perform removal of brush / vegetation from Ditchline as noted in the plans to include removal Of debris for the unit price of _____ Dollars and _____ Cents/LF	\$ _____	\$ _____
14.	245 LF	Perform fine grading of ditchline to ensure positive Drainage and remove excess silt as noted in the plans for the unit price of _____ Dollars and _____ Cents/L.F.	\$ _____	\$ _____
15.	1 LS	Perform Testing of materials, compaction, Or other items requested by the Engineer And performed by an approved laboratory With a project allowance of \$2,000 per the Project plans and specifications for the lump price of _____ <u>TWO Thousand FIVE Hundred</u> _____ Dollars and _____ <u>Zero</u> _____ Cents/LS	\$ <u>2,500.00</u>	\$ <u>2,500.00</u>

BID PROPOSAL
(Cont'd)

<u>ITEM</u>	<u>QTY/UNIT</u>	<u>DESCRIPTION</u>	<u>UNIT PRICE</u>	<u>TOTAL PRICE</u>
16.	24 LF	Provide and Install 15" HDPE (N-12 dual wall pipe) (driveway crossing) to include removal of existing Culvert, excavation, materials, gravel driveway base, all labor and equipment as shown in the plans and specifications for the unit price of _____ Dollars and _____ Cents/LF	\$ _____	\$ _____
17.	28 LF	Provide and Install Double 24" HDPE (N-12 dual wall pipe) (street crossing) to include removal of existing Culvert, excavation, materials, backfill, all labor and equipment as shown in the plans and specifications for the unit price of _____ Dollars and _____ Cents/LF	\$ _____	\$ _____

BID PROPOSAL
(Cont'd)

<u>ITEM</u>	<u>QTY/UNIT</u>	<u>DESCRIPTION</u>	<u>UNIT PRICE</u>	<u>TOTAL PRICE</u>
18.	2 EA	Provide and Install straight concrete headwall (double 24" HDPE culvert) to include excavation, materials, backfill, all labor and equipment as shown in the plans and specifications for the unit price of _____ Dollars and _____ Cents/EA	\$ _____	\$ _____
19.	28 LF	Provide and Install 36" HDPE (N-12 dual wall pipe) (street crossing) to include removal of existing Culvert, excavation, materials, backfill, all labor and equipment as shown in the plans and specifications for the unit price of _____ Dollars and _____ Cents/LF	\$ _____	\$ _____




BID PROPOSAL
(Cont'd)

20. 2 EA Provide and Install straight concrete headwall
(Double 36" culvert) to include excavation,
materials, backfill, all labor and equipment as
shown in the plans and specifications for the unit price of

_____ Dollars and
_____ Cents/EA \$ _____ \$ _____


SCHEDULE B: TOTAL OF ITEMS 11-20

\$ _____



BID PROPOSAL
SCHEDULE C: UNION ROAD

<u>ITEM</u>	<u>QTY/UNIT</u>	<u>DESCRIPTION</u>	<u>UNIT PRICE</u>	<u>TOTAL PRICE</u>
21.	10,380 S.Y.	Perform pulverizing of existing asphalt surface And base to a depth of 8-inches, Furnish & Install Cement and Mixing of existing base at a rate of 40 pounds per square yard. To include all labor and Equipment needed for watering, compaction, shaping In accordance with the project specifications and Plans for the unit price of _____ Dollars and _____ Cents/S.Y.	\$ _____	\$ _____
22.	20,970 SY	Provide and Install ACHM Surface Mix (2" compacted depth) including prime coat All labor and equipment as required per the plans and specifications for the unit price of _____ Dollars and _____ Cents/SY	\$ _____	\$ _____




BID PROPOSAL
(Cont'd)

<u>ITEM</u>	<u>QTY/UNIT</u>	<u>DESCRIPTION</u>	<u>UNIT PRICE</u>	<u>TOTAL PRICE</u>
23.	2,100 LF	Perform removal of brush / vegetation from Ditchline as noted in the plans to include removal Of debris for the unit price of _____ Dollars and _____ Cents/LF	\$ _____	\$ _____
24.	700 LF	Perform fine grading of ditchline to ensure positive Drainage and remove excess silt as noted in the plans for the unit price of _____ Dollars and _____ Cents/L.F.	\$ _____	\$ _____
25.	1 LS	Perform Testing of materials, compaction, Or other items requested by the Engineer And performed by an approved laboratory With a project allowance of \$2,000 per the Project plans and specifications for the lump price of _TWO Thousand FIVE Hundred _____ Dollars and _Zero _____ Cents/LS	\$ <u>2,500.00</u>	\$ <u>2,500.00</u>

BID PROPOSAL
(Cont'd)

26.	88 LF	Provide and Install 15" HDPE (N-12 dual wall pipe) (street crossing) to include removal of existing Culvert, excavation, materials, backfill, all labor and equipment as shown in the plans and specifications for the unit price of	_____ Dollars and		
			_____ Cents/LF	\$ _____	\$ _____
27.	8 EA	Provide and Install straight concrete headwall (15" HDPE culvert) to include excavation, materials, backfill, all labor and equipment as shown in the plans and specifications for the unit price of	_____ Dollars and		
			_____ Cents/EA	\$ _____	\$ _____



BID PROPOSAL
(Cont'd)

28.	22 LF	Provide and Install 18" HDPE (N-12 dual wall pipe) (street crossing) to include removal of existing Culvert, excavation, materials, backfill, all labor and equipment as shown in the plans and specifications for the unit price of	_____ Dollars and _____ Cents/LF	\$ _____	\$ _____
29.	2 EA	Provide and Install straight concrete headwall (18" HDPE culvert) to include excavation, materials, backfill, all labor and equipment as shown in the plans and specifications for the unit price of	_____ Dollars and _____ Cents/EA	\$ _____	\$ _____
TOTAL OF ITEMS 21-29				\$ _____	

BID PROPOSAL SUMMARY SHEET

TENNESSEE RD (ITEMS 1-10) TOTAL \$ _____

MEADOWS RD (ITEMS 11-20) TOTAL \$ _____

UNION RD (ITEMS 21-29) TOTAL \$ _____

TOTAL BASE BID: \$ _____

Notes:

Other incidental items required to complete the project as noted in the plans and specifications shall be considered subsidiary to the bid items. Traffic Control shall be performed by the contractor to maintain a passable lane during construction unless other detours are approved by the City. Sawcutting of pavements to ensure clean transition from existing to new shall be performed. The contractor shall notify TWU to obtain meter for fire hydrant for watering of street and pay all expenses and fees for water. Spoil materials shall be removed and hauled off by the contractor.

Upon stabilization and compaction of road base the contractor shall promptly plan to install prime coat and asphalt pavement. Damages to roadbed due to exposure to weather shall be repaired at the contractor's expense.

