

## ADDENDUM NO. 2

TO: ALL PLAN HOLDERS

RE: FORCE MAIN RELOCATION – CITY OF MIDLAND

ADDENDUM DATE: February 3, 2022

The Plans, Specifications and Contract Documents for the above referenced project are hereby modified as follows:


- 1. Bid Proposal: Replace Bid Proposal with the attached Revised Bid Proposal.**

ADDENDUM NO.2 ISSUED BY:

A.L. FRANKS ENGINEERING



Caleb Mudford, P.E.  
Project Manager



2-3-2022

SEBASTIAN COUNTY, ARKANSAS

TOWN OF MIDLAND, ARKANSAS  
 PROPOSED RELOCATION OF LOW  
 PRESSURE SEWER SYSTEM  
 PROJECT NO. MD-01-21

BID PROPOSAL

<u>ITEM</u>	<u>QTY/UNIT</u>	<u>DESCRIPTION</u>	<u>UNIT PRICE</u>	<u>TOTAL PRICE</u>
1.	1 L.S.	Mobilization including preparatory work and Operations, including but not limited to, movement Of personnel, equipment, supplies, and incidentals To the project site for the lump sum price of  _____ Dollars and  _____ Cents/L.F.	\$ _____	\$ _____
2.	1 L.S.	Abandonment of existing force main including but not limited to, plugs, removal & disposal when necessary, while following all relevant ADH & ARDOT guidelines for the abandonment of sewer mains for the lump sum price of  _____ Dollars and  _____ Cents/L.F.	\$ _____	\$ _____

BID PROPOSAL  
(Cont'd)

<u>ITEM</u>	<u>QTY/UNIT</u>	<u>DESCRIPTION</u>	<u>PRICE</u>	<u>PRICE</u>
3.	936 L.F.	Provide and Install 6" carrier / 12" casing HDPE dual wall pipe (DR-17 / DR-17) for force main use and installation by trenching, including bedding, tracer wire, all materials, labor and equipment as required in accordance with the plans and specifications for the unit price of  _____ Dollars and  _____ Cents/L.F.	\$ _____	\$ _____
4.	1,370 L.F.	Provide and Install 4" carrier / 8" casing HDPE dual wall pipe (DR-17 / DR-17) for force main use and installation by trenching, including bedding, tracer wire, all materials, labor, and equipment as required in accordance with the plans and specifications for the unit price of  _____ Dollars and  _____ Cents/L.F.	\$ _____	\$ _____
5.	40 L.F.	Provide and Install 6" carrier / 12" casing HDPE dual wall pipe (DR-17 / DR-17) for force main use and installation BY BORE, including traffic control, end seals, vent pipes, markers, and all labor and equipment Necessary to complete bore in accordance with the plans and specifications for the unit price of  _____ Dollars and  _____ Cents/L.F.	\$ _____	\$ _____

BID PROPOSAL  
(Cont'd)

<u>ITEM</u>	<u>QTY/UNIT</u>	<u>DESCRIPTION</u>	<u>PRICE</u>	<u>PRICE</u>
6.	80 L.F.	Provide and Install 4" carrier / 8" casing HDPE dual wall pipe (DR-17 / DR-17) for force main use and installation BY BORE, including traffic control, end seals, vent pipes, markers, and all labor and equipment Necessary to complete bore in accordance with the Plans and specifications for the unit price of  _____ Dollars and _____ Cents/L.F.	\$ _____	\$ _____
7.	60 L.F.	Provide and Install 6" HDPE SDR-21 Force Main Installation by Bore with 12" Steel Casing (0.375" thk) Of State Highway including traffic control, end seals, Vent pipes, markers, and all labor and equipment Necessary to complete bore in accordance with the plans and specifications for the unit price of  _____ Dollars and _____ Cents/L.F.	\$ _____	\$ _____
8.	60 L.F.	Provide and Install 4" HDPE SDR-21 Force Main Installation by Bore with 8" Steel Casing (0.375" thk) Of State Highway including traffic control, end seals, Vent pipes, markers, and all labor and equipment Necessary to complete bore in accordance with the plans and specifications for the unit price of  _____ Dollars and _____ Cents/L.F.	\$ _____	\$ _____

BID PROPOSAL  
(Cont'd)

<u>ITEM</u>	<u>QTY/UNIT</u>	<u>DESCRIPTION</u>	<u>PRICE</u>	<u>PRICE</u>
9.	60 L.F.	Provide and Install 6" HDPE SDR-21 Force Main Installation by trenching with 12" Steel Casing (0.375" thk) Including bedding, tracer wire, all materials, Labor, and equipment as required in accordance with the plans and specifications for the unit price of  _____ Dollars and  _____ Cents/L.F.	\$ _____	\$ _____
10.	60 L.F.	Provide and Install 4" HDPE SDR-21 Force Main Installation by trenching with 8" Steel Casing (0.375" thk) Including bedding, tracer wire, all materials, Labor, and equipment as required in accordance with the plans and specifications for the unit price of  _____ Dollars and  _____ Cents/L.F.	\$ _____	\$ _____
11.	1 L.S.	Provide and Install Connections to Existing Force Main Including traffic control, end seals, vent pipes, markers, and all labor and equipment necessary to complete connection in accordance with the plans and specifications for the unit price of  _____ Dollars and  _____ Cents/L.F.	\$ _____	\$ _____

BID PROPOSAL  
(Cont'd)

<u>ITEM</u>	<u>QTY/UNIT</u>	<u>DESCRIPTION</u>	<u>PRICE</u>	<u>PRICE</u>
12.	1 E.A.	Provide and Install 4" Connection to Existing Wet Well by Core Drill including traffic control, end seals, vent pipes, markers, grout, testing, and all labor and equipment necessary to complete connection in accordance with the plans and specifications for the unit price of  _____ Dollars and  _____ Cents/Each	\$ _____	\$ _____
13.	2 EA	Provide and Install 1-inch Sewer Combination Air Release & Vacuum Release Valve including bedding, concrete Manhole, all piping, connections, material, and labor necessary in accordance with the plans and specifications for the unit price of  _____ Dollars and  _____ Cents/Each	\$ _____	\$ _____
14.	1 LS	Provide and Install Trench Protection as required in Accordance with the plans and specifications for the Lump Sum price of  _____ Dollars and  _____ Cents/Lump Sum	\$ _____	\$ _____

15. 1 LS

Provide and Install erosion control measures as shown on the Stormwater pollution prevention plan including silt fencing, Rock rip-rap, seeding, and other controls as necessary to Limit erosion throughout the project and establish a minimum Of 70% permanent vegetation for the lump sum price of

\_\_\_\_\_ Dollars and

\_\_\_\_\_ Cents/L.S.

\$ \_\_\_\_\_ \$ \_\_\_\_\_

**TOTAL BASE BID (Items 1-14)**

\$ \_\_\_\_\_

**NOTES:**

The project as designed includes installation of 8" and 12" piping (casing) and 4" and 6" piping (carrier) for the proposed force main. In ARDOT R.O.W. this is required unless noted otherwise for alternative casing methods.

The bidder must provide material submittals for approval to the Engineer 10 days prior to the bid opening if equipment is not listed as accepted in the specifications. The owner has the right to reject any and all bids.

The bidder agrees to hold their bid for up to 60 days. The owner has the right to reject any and all bids.

The bid will be awarded based upon available funding to complete the Base Bid. In the event the budget is exceeded the deductive alternate will be accepted.

